



SAFETY DATA SHEET

1. Identification

Product Identifier	Stain Remover	
Other means of identification	TBI-CSX-1620	
Product code		
Recommended use	Carpet spotter and general cleaner.	
Recommended restrictions	None known.	
Manufacturer information		
Company name	Cleaning System X	
Address	730 SW 78 th Ave Unit 403 Plantation, FL 33324	
Telephone	(305) 998-8772	
Emergency phone number	PERS	(800) 633-8253
	24-hour Emergency	(800) 633-8253

2. Hazard(s) Identification

Physical hazards	Not classified.	
Health hazards	Skin irritation	Category 2
	Eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	None.	
Label elements		



Signal word	WARNING
Hazard statement	Causes skin irritation. Causes serious eye irritation.
Precautionary statement	
Prevention	Wash hands and exposed skin thoroughly after handling. Wear protective gloves. Wear eye protection/face protection.
Response	IF ON SKIN: Wash with plenty of water. Specific treatment (see section 4 on this SDS). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. If eye irritation persists: Get medical advice/attention.
Storage	No prescriptive instructions
Disposal	No prescriptive instructions
Hazard(s) not otherwise classified (HNOC)	None.
Supplemental information	None.

3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
Alcohols, C9-11, ethoxylated	68439-46-3	1-3
Hydrogen peroxide	7722-84-1	1-2



SAFETY DATA SHEET

D-limonene	5989-27-5	0.1-1
Other components below reportable levels		94-97

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and warm water for at least 15 minutes. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Can cause serious eye irritation. Can cause burning sensation in affected areas. Can cause dermatitis, rash. Hydrogen peroxide can temporarily turn the skin white with persistent contact.
Indication of immediate medical attention and special treatment needed	Provide widespread support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with caution.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Alcohol-resistant foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this may spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (e.g., cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination. Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.



SAFETY DATA SHEET

Environmental precautions

Avoid release to the open environment. Avoid discharge into surface drainage paths and other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Hydrogen Peroxide	PEL	1 ppm

US ACGIH Threshold Limit Values

Components	Type	Value
Hydrogen Peroxide	TWA	1 ppm

Biological limit values

No data available.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

The use of gloves impervious to the specific material managed is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Suggested protective materials: Nitrile and PVC rubber

Other

Wear appropriate chemical-resistant clothing where indicated.

Respiratory protection

Respiratory protection not indicated for prescribed use of this product.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after managing the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State

Liquid

Color

Colorless

Odor

Citrus



SAFETY DATA SHEET

Odor threshold	Not available.
pH	4.5-6
Melting/freezing point	23°F (-5°C) estimated.
Initial boiling point and boiling range	>212°F (>100°C).
Flash point	>392°F (>200°C).
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.01
Solubility in water	Complete.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Material decomposes with the potential to produce a rupture of unvented closed containers. Avoid storing in excessive heat or sunlight.
Incompatible materials	Metals, organic materials, strong reducing agents, strong bases.
Hazardous decomposition products	No hazardous decomposition products occur. Oxygen can be liberated at temperatures above ambient.

11. Toxicological information

Information on routes of exposure	
Ingestion	Do not ingest. May be harmful if swallowed.
Inhalation	Do not inhale. May irritate the upper respiratory tract.
Skin contact	Can cause skin irritation.
Eye contact	Can cause serious eye irritation.
Symptoms related to the physical, chemical, and toxicological characteristics	Skin irritation, serious eye irritation. Can temporarily turn skin white with prolonged contact.
Acute toxicity	Expected to have low toxicity to humans.

Product Stain Remover (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀ /LC ₅₀
Acute	Oral, rat	>21,600 mg/kg (estimated).
*Estimates for product may be based on additional component data not shown		



SAFETY DATA SHEET

Skin corrosion/irritation

Serious eye damage/ irritation

Respiratory sensitization

Skin sensitization

Germ cell mutagenicity

Can cause skin irritation.

Can cause serious eye irritation.

Not considered a respiratory sensitizer.

Not considered a skin sensitizer.

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Not considered a carcinogen.

Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicity

No data available.

Specific target organ toxicity – single exposure

May irritate the upper respiratory tract with prolonged inhalation.

Specific target organ toxicity – repeated exposure

No data available.

Aspiration hazard

No data available.

12. Ecological information

Ecotoxicity		
Product Stain Remover (CAS mixture)		
Aquatic	Species	Test Results
Crustacea	Daphnia magna	EC ₅₀ = 126.8 mg/L (estimated)
Fish	Fathead minnow <i>Pimephales promelas</i>	LD ₅₀ = 254.4 mg/L (estimated)
*Estimates for product may be based on additional component data not shown		

Persistence and degradability

Hydrogen peroxide in the aquatic environment is subject to various reduction or oxidation processes and decomposes into water and oxygen. Hydrogen peroxide half-life in freshwater ranges from 8 hours to 20 days, in air from 10 to 20 hours, and in soils from minutes to hours depending upon microbiological activity and metal contamination. Alcohol ethoxylate: considered readily biodegradable.

Bioaccumulative potential

Expected to be low, will degrade before accumulation can occur.

Mobility in soil

Chemicals of these classes are highly water soluble and are expected to exhibit moderate to high mobility in saturated and semi-saturated soils

Other adverse effects

No other adverse environmental effects known (*i.e.*, ozone depleting substance, tropospheric ozone precursor, greenhouse gas emission, endocrine disruptor, or other deleterious environmental effect).

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations. As packaged, this product is not believed to meet criteria defining RCRA hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been accurately assessed and, as necessary, evaluated to confirm regulatory status.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer, and the waste disposal company.

Waste from residues/unused product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.



SAFETY DATA SHEET

14. Transport information

USDOT Not regulated as dangerous goods

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard – No

SARA 313 (TRI reporting) Not listed.

TSCA – All chemical components used to manufacture this product comply with the Toxic Substances Control Act (TSCA) registry requirements and are either listed within, or exempted from, the current TSCA 8(b) inventory.

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2025)

16. Other information, including date of preparation or last revision

Issue date 7/25/2025

Revision date

Version # 1

HMIS® ratings Health: 1
Flammability: 0
Physical hazard: 0

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	☐

NFPA ratings

Health: 1
Flammability: 0
Instability: 0





SAFETY DATA SHEET

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

First issue.